

Township N. 8 North, Range N. 3 East V. Mer. Indiana

South Boundary. March 28th, 1811

East On S. boundary of Sec. 31, T. 8 N. R. 3 E.

7.50 a Brook 10 ltrs. wide Course N 45°

16.50 a B. Oak 14 in. dia.

40.00 Set the q: Sec. post, from which

a Gum 5 in. dia. bears N 57 W 18 chs. dist. §

a B. Oak 30 " " 149 E 24 "

63.50 a Brook 30 ltrs wide Course N.

77.50 a B. Oak 12 in. dia.

80.00 Set a post Corner to Sec. 31, 32, 33, T. 8 N. R. 3 E. from which

a W. Oak 12 in dia. bears S 28 W 8 chs. dist. §

a Beech 10 " " 159 E 36 "

East On S. boundary of Sec. 32 T. 8 N. R. 3 E.

9.50 a W. Oak 18 in dia.

16.50 a Brook 25 ltrs. wide Cr. N.

36.50 a W. Oak 12 in dia.

40.00 Set the q: Sec. post from which

a W. Oak ¹¹ in. dia. bears N 51 W 19 chs. dist. §

a B. Oak 15 " " 115 E 21 "

69.00 a W. Oak 14 " "

80.00 Set a post Corner to Sec. 32 & 33, T. 8 N. R. 3 E. from which

a Gum 11 in. dia. bears N 60 E 4 chs. dist. §

a B. Oak 8 " " 139 W 26 "

Poor hilly land, timber Beech, Gum &c.

East. On S. boundary of Sec. 33, T. 8 N. R. 3 E.

22.75 a W. Oak 14 in. dia.

36.50 a Brook 25 ltrs. wide Course N.E.

40.00 Set the q: Sec post, from which

a Beech 9 in. dia. bears S 64 W 14 chs. dist. §

a Ho 12 " " 182 E 19 "

50.00 a Brook 20 ltrs. wide Course W.

S8th R3rd E. 2nd Mer. Indiana

64. 25 a W. Oak 11 in. dia.
 80. 00 Set a post Corner to Sec. 33 & 34, S8th R3rd E. from which
 a W. Oak 16 in. dia. bears N52°E 16 lks. dist. of
 a Do 18 " " " S78°W38 " "
 Same timber &c. same as on the last mile

- East On S. boundary of Sec. 34, S8th R3rd E.
 9. 00 a Brook 25 lks. wide Course N.
 25. 50 a W. Oak 16 in. dia.
 40. 00 Set the qth Sec. post from which
 a Gum 18 in. dia. bears S72°E 10 lks. dist. of
 a B. Oak 30 " " N45°W14 " "
 57. 00 a W. Oak 16 " "
 58. 50 Intersected the boundary line, set post from which
 a W. Oak 12 in. dia. bears N55°E 10 lks. dist. of
 a Beech 5 " " S30°W12 " "
 80. 00 Set a post Corner to Sec. 34 & 35, from which
 a W. Oak 18 in. dia. bears S80°W14 lks. dist. of
 a Do 14 " " N45—10 " "
 Foot Hilly land Oak & Beech undergrowth Dogwood &
 Sassafras, Huckleberry.

- East On S. boundary of Sec. 35, S8th R3rd E.
 25. 65 a branch 8 lks. wide Course N.
 40. 00 Set the qth Sec. post from which
 a W. Oak 16 in. dia. bears N16°E 32 lks. dist. of
 a Do 17 " " S81°W15 " "
 74. 57 a Creek 50 lks. wide Course N.W.
 80. 00 Set a post Corner to Sec. 35 & 36, from which
 a W. Oak 13 in. dia. bears N2°W46 lks. dist. of
 a Do 14 " " S50°E 28 " "
 The above Corner is 9.25 E. of the Old Cor.
 Rolling land timber Oak, Dogwood & Sassafras.

31

18 N - R 3 E. I^d. Mer. Indiana

- East On S. boundary of Sec. 36, 18 N R 3 E.
- 40.00 Set the q^r. Sec. post from which
a W. Oak 16 in. diam. bears N 34° 66' l.h.s. dist.
a do 14 " " 133° 45' " "
70.17 a Branch 6 l.h.s. wide Course N.W.
70.77 Intersected Town Corner.

East Boundary

- North On E. boundary of Sec. 36, 18 N. R 3 E.
- 22.20 a W. Oak 18 m. diam. "
- 40.00 Set the q^r. Sec. post, from which
a W. Oak 13 in. diam. bears S 61° E 25 l.h.s. dist. of
an Hickory 7 " " N 61° W 24 " "
62.90 a Branch 8 l.h.s. wide C.S. West
77.45 a do 8 l.h.s. " " N.W.
80.00 Set a post Cor. to Sec. 25 of 36, from which
a W. Oak 15 in. diam. bears S 43° E 14 l.h.s. dist. of
a do 20 " " N 21° W 37 " "
Broken land, timber Oak & Hick., under growth
Oak, Sassafras &c.

- North On E. boundary of Sec. 25, 18 N. R 3 E.
- 16.15 a Sugar 18 m. diam.
- 16.98 a Creek 40 l.h.s. wide C.S. W.
- 40.00 Set the q^r. Sec. post, from which
a Sassafras 6 in. diam. bears S 77° E 9 l.h.s. dist. of
a do 5 " " N 52° W 10 " "
56.86 a W. Oak 20 "
- 62.40 a Branch 8 l.h.s. wide C.S. W.
- 80.00 Set a post Cor. to Sec. 24 of 25, from which
a Hickory 20 in. diam. bears S 59° E 15 l.h.s. dist. of
a Poplar 18 " " N 59° E 26 " "

78 N - R 3 E. 2nd Mer. Indiana

Broken land, timber Oak, Beech, Hickory, under-growth Oak, Briar &c.

North On E. boundary of Sec. 24, 78 N. R 3 E.

15.90 a W. Oak 15 m. dia.

40.00 Set the q. Sec. post, from which
a W. Oak 18 m. dia. bran 153 $\frac{1}{2}$ ft. l. br. dist. of
a Dogwood 6 " " 182 E 25 " "
80.00 Set a post Cor. to Sec. 13 of 24, from which
a Maple 9 m. dia. bran 135 $\frac{1}{2}$ ft. l. br. dist. of
a W. Oak 12 " " 187 $\frac{1}{2}$ W 26 " "

Billy land, timber Oak, undg. Hazel, grape vine, &c.

North On E. boundary of Sec. 13, 78 N. R 3 E.

8.62 a Beech 24 m. dia.

19.90 a Creek 100 ft. wide Cr. S. W.

40.00 Set the q. Sec. post, from which
a Hickory 7 m. dia. bran 117 $\frac{1}{2}$ ft. l. br. dist. of
a W. Oak 7 " " 157 $\frac{1}{2}$ E 8 " "

72.76 a Maple 12 " "

80.00 Set a post Cor. to Sec. 11 of 13, from which
a W. Oak 30 m. dia. bran 277 $\frac{1}{2}$ ft. l. br. dist. of
a W. Oak 24 " " 170 E 48 " "

Broken land, Creek bottom rich, timber Oak,
Beech, undg. Hazel, green briar &c.

North On E. boundary of Sec. 12, 78 N. R 3 E.

13.72 a W. Oak 10 m. dia.

40.00 Set the q. Sec. post, from which
a Sassafras 8 m. dia. bran 160 ft. l. br. dist. of
a Dogwood 4 " " 16 E 20 " "

55.74 a W. Oak 18 " "

80.00 Set a post Cor. to Sec. 11 of 12, from which

Sec. 123 E. D. Mer. Indiana

at Beech 14 m. dia. bray 11 $\frac{1}{2}$ ft. h. dist. of
all Dogwood 4 " " 158 ft. " "
Broken land, timber Oak, Beech &c. under-
growth Sassafras & Dogwood

North On E. boundary of Sec. 1, Sec. 123 E.
10.24 a W. Oak 18 m. dia.

40.00 Set the of. Sec. post, from which
a Chestnut Oak 9 m. dia. bray 156 ft. 24 h. dist. of
a Do 10 " " 119 ft. " "

53.74 a Red Oak 24 " "
84.96 Set a post Cor. to Township 8 of 9 North
Range 3 $\frac{1}{4}$ East, from which
a W. Oak 13 m. dia. bray 143 ft. 96 h. dist. of
a Maple 9 " " 110 ft. 20 " "
Broken land, timber Oak, Hickory, Beech &c

North Boundary

West On Rand. S. boundary of Sec. 36, Sec. 123 E.
40.00 Set tempy. of. Sec. post
50.50 a Branch 10 ft. wide C. S.
80.00 Set tempy. Sec. post. for. Cor. to Sec. 35 & 36
Sec. 123 E. May 31st 1819

West On Rand. S. boundary of Sec. 35, Sec. 123 E.
10.15 a Brook 6 ft. wide C. S. P.
40.00 Set tempy. of. Sec. post
80.00 Set tempy. post. Cor. to Sec. 34 & 35, Sec. 123 E.

West On Rand. S. boundary of Sec. 34, Sec. 123 E.
40.00 Set tempy. of. Sec. post
50.25 a Branch 8 ft. wide C. S. P.
80.00 Set tempy. post Cor. to Sec. 33 & 34, Sec. 123 E.

18th R3E2nd Mer. Indiana

West On Rand. S. boundary of Sec. 33, T9N. R3E.
 40.00 Set temp. q. Sec. post
 80.00 Set temp. post, Cor. to Sect. 32 of 33, T9N. R3E.

West On Rand. S. boundary of Sec. 32, T9N. R3E.
 40.00 Set temp. q. Sec. post
 80.00 Set temp. post Cor. to Sect. 31 of 32, T9N. R3E.

West On Rand. S. boundary of Sec. 31, T9N. R3E.
 40.00 Set temp. q. Sec. post.
 80.00 Set temp. Town Cor. for Town of T9N. Range
 2d E. June 1st. 1819

East On true line S. boundary of Sec. 31, T9N. R3E.
 47.25 Set q. Sec. post on true line from which
 a W. Oak 15 in. dia. bran 1609W17 lbs. dist. of
 a Chest. Oak 10 " " N55E15 " "
 87.25 Set a post Cor. to Sect. 31 of 32, T9N. R3E, from which
 a Bassapay 4 in. dia. bran N79E7 lbs. dist. of
 a Hickory 6 " " 817W11 " "
 This mile over very broken brushy land timber,
 Oak, Hickory, Sandal Bassapay, green briar &c

East On true line S. boundary of Sec. 32, T9N. R3E.
 40.00 Set th. q. Sec. post, on true line from which
 a Chestnut Oak 27 in dia. bran 1661W4 lbs. dist. of
 a Dogwood 4 " " N29E23 " "
 80.00 Set a post Cor. to Sect. 32 of 33, T9N. R3E, from which
 a W. Oak 15 in. dia. bran 1878E28 lbs. dist. of
 a B. Oak 30 " " 877W65 " "
 over knobs, timber Oak, under Bassapay,
 Huckleberry, green briar &c, stony land

Sec R 3 E 2 Mer. Indiana

East On true line S. boundary of Sec. 33, Tg. N. R. 3 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 14 in. dia. bray 18^{ft} 4ⁱⁿ l. b. dist. of
 a Do 18 " " 16^{ft} 8ⁱⁿ " "
 80.00 Set a post cont. to Sec. 33 & 34, Tg. N. R. 3 E, from which
 a W. Oak 15 in. dia. bray 18^{ft} 5ⁱⁿ l. b. dist. of
 a Do 10 " " 16^{ft} 7ⁱⁿ 32 " "
 Very broken land, timber Oak, underg. Oak,
 Huckleberry, Sassafras &c.

East On true line S. boundary of Sec. 34, Tg. N. R. 3 E.
 40.00 Set q. Sec. post on true line, from which
 a W. Oak 18 in. dia. bray 17^{ft} 6ⁱⁿ l. b. dist. of
 a Do 15 " " 18^{ft} 4ⁱⁿ " "
 80.00 Set a post cont. to Sec. 34 & 35, Tg. N. R. 3 E, from which
 a W. Oak 13 in. dia. bray 14^{ft} 9ⁱⁿ 38 l. b. dist. of
 a Do 15 " " 17^{ft} 9ⁱⁿ 30 " "
 Over knobs, timber Oak &c. underg. green briar
 Huckleberry &c.

East On true line S. boundary of Sec. 35, Tg. N. R. 3 E.
 40.00 Set the q. Sec. post, on true line, from which
 a Gum 8 in. dia. bray 13^{ft} 8ⁱⁿ 14 l. b. dist. of
 a Hick. 7 " " 17^{ft} 18 " "
 80.00 Set a post cont. to Sec. 35 & 36, Tg. N. R. 3 E, from which
 a W. Oak 20 in. dia. bray 18^{ft} 1ⁱⁿ 11ⁱⁿ l. b. dist. of
 a Do 15 " " 15^{ft} 8ⁱⁿ 24 " "
 Over very broken brushy land, timber Oak &c
 underg. Dogwood, Sassafras &c.

East On true line S. boundary of Sec. 36, Tg. N. R. 3 E.
 40.00 Set the q. Sec. post, on true line from which
 a W. Oak 15 in. dia. bray 13^{ft} 8ⁱⁿ 25 l. b. dist. of

T8N-R3E. V. Mer. Indiana

a W. Oak 14 in. dia. bran N 46° 47' 31" th. dist.
80.00 to Lower Corner
Over broken land June 14th. 1819

West Boundary March 26th, 1811

North On E. boundary of Sec. 36, T8N, R3E.

1.50 at Brook 12 in. wide course W.

30.25 a Hickory 16 in. dia?

40.00 set the gr. Sec. post, from which

at Brook 11 in. dia. bran N 57° 06' th. dist. of
a W. Oak 36 " " N 57° 07' 3 " "

48.00 a Creek 150 ft. wide course W.

80.00 Set a post Cor. to Sec. 25 & 36, T8N, R3E, from which
at Brook 12 in. dia. bran N 18° 11' 10" th. dist. of

a Maple 4 " " N 68° 11 " "

First 48 chains land low with timber Beech & Maple
residue hilly Oak land.

North On E. boundary of Sec. 35, T8N, R3E.

6.00 at B. Oak 18 in. dia.

26.50 a Spring run 5 ft. wide course E.

40.00 Set the gr. Sec. post, from which

a B. Oak 24 in. dia. bran N 50° 25' 25" th. dist. of

a W. Oak 12 " " N 65° 21 " "

75.25 a Hickory 12 " "

80.00 Set a post Cor. to Sec. 24 & 25, T8N, R3E, from which

a B. Oak 24 in. dia. bran N 45° 11' 12" th. dist. of

a Hickory 10 " " N 50° 8' 6 " "

Land hilly timber W. Oak & Hickory

North On E. boundary of Sec. 24, T8N, R3E.

40.00 Set the gr. Sec. post, from which

a W. Oak 10 in. dia. bran N 25° 8' 28" th. dist. of

18th R. 3 E. 2nd Mer. Indiana

- a Poplar 12 in. dia. bran N 59° W 26 lbs. dist. 6
 57.00 a W. Oak 16 " "
 63.00 intersected the boundary line, set a post, from which
 a Gum 6 in. dia. bran N 50° W 29 lbs. dist. 6
 a P. Oak 13 " " N 47° E 50 " "
 Poor hilly Oakland &c. (contained by S. Hedge)
 Dec. 7th. 1819. variation 6° 48' E.
 80.00 Set a post Cor. to Sec. 13 & 24, 18 N. 12 E., from which
 a W. Oak 12 in. dia. bran N 11° E 23 lbs. dist. 6
 a Gum 5 " " " N 38° W 50 " "

North On E. boundary of Sec. 13, 18 N. 12 E.

- 14.50 a Chestnut Oak 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Gum 10 in. dia. bran N 30° E 20 lbs. dist. 6
 a P. Oak 24 " " J 2 W 60 " "
 51.07 a P. Oak 24 " "
 54.75 a Brook 10 lbs. wide Cov. 580 E.
 80.00 Set a post Cor. to Sec. 10 & 13, 18 N. 12 E., from which
 a Chest. Oak 24 in. dia. bran N 43° W 11 lbs. dist. 6
 a Aldo 30 " " J 12 E 23 " "
 Land hilly & poor timber W. Oak, & Chest. Oak
 undergrowth W. Oak & Cherry. & Basswood

North On E. boundary of Sec. 12, 18 N. 12 E.

- 10.50 a Brook 10 lbs. wide Cov. 530 E.
 40.00 Set the q. Sec. post, from which
 a Poplar 12 in. dia. bran N 85° E 90 lbs. dist. 6
 a Chest. Oak 16 " " N 69° W " "
 68.20 a Chest. Oak 10 " "
 80.00 Set a post Cor. to Sec. 10 & 12, 18 N. 12 E., from which
 a P. Oak 14 in dia. bran S 25° W 37 lbs. dist. 6
 a Chest. Oak 16 " " N 57° E 77 " "

T^h 8 N Rth 3 E. I. Mer. Indiana

Land very & poor, timber M^{ch} Chest. Oak,
andg.^{an} W. Oak, Hickory & Sassafras.

- North On E. boundary of Sec. 1, T^h 8 N, Rth 3 E.
 26.33 a P. Oak 30 in. dia.
 28.00 a Brook 10 ft. wide Course N 80^W
 40.00 Set the q. Sec. post, from which
 a W. Oak 16 in. dia. bray S 38^W 12 ft. dist. of
 a Do 20 " " N 76^E 11 " "
 55.00 a Brook 12 ft. wide C. S. N 66^W.
 58.53 a W. Oak 12 in. dia.
 82.50 a Brook 12 ft. wide C. S. N 80^W
 94.25 Intersected the Town line 18.35 East of post
 Cor. to Sec. 36, in T^h 8 N, Rth 3 E, & Sec. 31, in T^h 8 N,
 Rth 3 E. and set a post Cor. to Town 80 N. 1 Range
 2 $\frac{1}{3}$ East, from which
 a P. Oak 5 in. dia. bray N 14^E 25 ft. dist. of
 a W. Oak 3 " " S 23^W 15 " "
 Land hilly & poor, timber M^{ch} C. Oak, Hickory
 &c. underg. W. Oak, Hickory & Sassafras.
 S. P. of the Old boundary line, Surveyed in
 1811 by Alexander Holmes, Dep. Surveyor
 N. E. of the Old boundary line Surveyed in
 1819 by John M. McDonald, Dep. Surveyor

Subdivision.

- North Between Sec. 31 & 32, T^h 8 N, Rth 3 E
 34.00 a Brook 12.5 ft. wide C. S. S. W.
 40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bray N 35^W 7 ft. dist. of
 an Ash 18 " " S 5^E 7
 80.00 Set a post cor. to Sec. 29, 30, 31 & 32, from which
 a sugar 10 in. dia. bray S 88^E 8 ft. dist. of

98 N. R. 3 E. I. Mer. Indiana

a Sugar 6 in. dia. bran West 10 ther. dist.
Land rolling thin soil

West Between Sec. 30 & 31, 98 N. R. 3 E.

7.00 at Brook 12 ther. wide C. S. W.
40.00 left the of. Sec. post, from which
a Beech 10 in. dia. bran 162 1/2 ther. dist. of
a Sugar 7 " " " A 32820 "

80.68 intersected the W. boundary 114 ther. N. of post
Set a post Cor. to Sec. 30 & 31, from which
a W. Oak 20 in. dia. bran 152 87 ther. dist. of
a Do 15 " " " West 22 "

Good farming land, Oak timber

North Between Sec. 19 & 30, 98 N. R. 3 E.

39.00 at Brook 15 ther. wide C. S. S. P.
40.00 left the of. Sec. post, from which
a W. Oak 3 in dia. bran 173 1/2 ther. dist. of
a Hickory 24 " " " 147 976 "

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
a Hickory 3 in. dia. bran 520 97 30 ther. dist. of
Land the same as on the last mile

West Between Sec. 19 & 30, 98 N. R. 3 E.

40.00 left the of. Sec. post, from which
a W. Oak 20 in. dia. bran 185 815 ther. dist. of
a Do 20 " " " 185 9719 "

80.84 intersected the W. boundary 96 ther. N. of post
Set a post Cor. to Sec. 19 & 30, from which
a Poplar 20 in. dia. bran 198 17 ther. dist. of
a Do 15 " " " 143 9714 "

Land hilly thin Soil, timber Oak & Hickory

88 N. R. 3 E. 2nd Mer. Indiana

North Between Sec. 19 & 20, 88 N. R. 3 E.

1. 39 intersected the boundary line, set post, from which
a Beech 10 in. dia. bears N 84° 97' 63" dist.

December 6th, 1819

5.00 touch Bend of Stream 20 lks. wide S 55° E.

10.13 a Walnut 18 in. dia.

17.10 a Brook 8 lks. wide Cr. S. 40° E.

38.40 a Brook 8 lks. .. S. 45° E

40.00 Set the q: Sec. post from which
a Sugar 12 in. dia. bears S 85° E 41 lks. dist. of
a B. Eye 8 .. S 77° W 61 .. "

55.00 a Brook 20 lks. wide Cr. S. 10° E.

63.00 a W. Oak 13 in. dia.

78.00 a Brook 12 lks. wide Cr. S. 15° W.

80.00 Set a post Corner to Sec. 17, 18, 19 & 20. from which
a Hickory 8 in. dia. bears S 67° W 45 lks. dist. of
a Sycamore 20 .. S 59° E 40 .. "

Land hilly & poor timber W. C. Oak underg. dogw.

West On Random Between Sec. 18 & 19, 88 N. R. 3 E.

23.01 a Brook 15 lks. wide Course S.

34.00 a Dlo 15 S. 60° E.

40.00 Set temp M. q: Sec. post

79.29 intersected the West boundary 192 lks. S. of post
Poor hilly land timber W. C. Oak, Hickory &c.
underg. the dogwood & Hickory.

East On true line Between Sec. 18 & 19, 88 N. R. 3 E.

59.96 Set the q: Sec. post at the average dist. from which
a W. Oak 20 in. dia. bears N 4° W 56 lks. dist. of
a Maple 14 .. S 10° E 9 .. "

79.92 to Section Corner

18 N. R. 3 E. 2nd Mer. Indiana

North	Between Sec. 17 & 18, 38 N. R. 3 E.
27.86	a Gum 15 in. dia.
110.00	Set the q ^r . Sec. post from which a Poplar 18 in. dia. bran 161 ft. 24 lbs. dist. of a W. Oak 24 " " 184 ft. 50 "
69.75	a Hickory 12 " "
86.00	Set a post cor. to Sec. 7, 8, 17 & 18, from which a W. Oak 28 in. dia. bran 176 ft. 15 lbs. dist. of a Gum 10 " " 167 ft. 39 "
	Broken poor land, timber, W. Oak, Gum, Hickory, under th W. Oak, Hickory & Bassasay

West	On Random between Sec. 7 & 18, 38 N. R. 3 E.
24.60	a Brook 10 lbs. wide Course 110 E
40.00	Set temp ^r . q ^r . Sec. post
76.10	a Brook 10 lbs. wide Course East
80.74	intersected the W. boundary 24 lbs. S. of post very hilly & poor land, timber W. C. Oak, Hickory & Gum under th W. Oak, Hickory & Bassasay.

East	On true line between Sec. 7 & 18, 38 N. R. 3 E.
40.37	Set q ^r . Sec. post on true line, from which a Chestnut Oak 13 in. dia. bran 165 ft. 24 lbs. dist. of a Ho 13 " " 185 ft. 50 "
80.74	to Sec. corner

North	Between Sec. 7 & 8, 38 N. R. 3 E.
22.64	a W. Oak 15 in. dia.
40.00	Set the q ^r . Sec. post, from which a Chestnut Oak 11 in. dia. bran 181 ft. 21 lbs. dist. of a Ho 13 " " 177 ft. 30 "
66.90	a W. Oak 18 " "
80.00	Set a post cor. to Sec. 5, 6, 7 & 8, from which

S81 R3 E. 2nd Mer. Indiana

a W. Oak 40 in. dia. bray N44 E 11 hr. dist. of
 a Hickory 13 " " " 116 E 61 " "
 Land poor & very hilly, timber W. & C. Oak &
 Hickory, underl. W. Oak, Hickory & Basswood

West On Random between Sec. 6 & 7, S81 R3 E.
 40.00 left temp. of. Sec. post
 43.60 at Brook 4 hrs. wide Course N 30 E.
 78.75 intersected the N. boundary 31 hrs. N. of post
 Land timber &c. same as on the last mile

East On true line betw. Sec. 6 & 7, S81 R3 E
 39.37 1/2 left of. Sec. post at average dist. from which
 a Chest. Oak 10 in. dia. bray N 41 W 34 hrs. dist. of
 a Do 14 " " " 149 E 37 " "
 78.75 to Sec. Corner. Dec. 9th 1819

North Between Sec. 5 & 6, S81 R3 E.
 10.39 a Poplar 13 in. dia.
 40.00 left tho of. Sec. post, from which
 a Chest. Oak 24 in. dia. bray S 86 47 46 hrs. dist. of
 a Do. 18 " " " 144 E 50 " "
 54.00 a Brook 6 hrs. wide C. S. N 60 47
 62.50 a Maple 8 in. dia.
 72.10 at Brook 8 hrs. wide C. S. N 70 47
 80.50 a Do 10 " " " 145 47
 92.75 intersected the N. boundary 800 hrs. E. of post
 Cor. to Sec. 3 & 30 in the adjacent Township, set
 a post Cor. to Sec. 5 & 6, from which
 a Hickory 3 in. dia. bray N 40 E. 22 hrs. dist. of
 a B. Oak 6 " " " 13 47 60 " "
 Land timber &c. same as on the last mile

329

18 N. R. 3 E. I. Mer. Indiana

North Between Sec. 32 & 33, 18 N. R. 3 E.

40.00 Set. lthg. qf. Sec. post, from which
an Ironwood 4 in. dia. bran N 65° W 11 lthg. dist. of
a do 8 " " " 174 E 13 " "

68.65 at Brook 100 lthg. wide Course West

80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
a Beech 18 in. dia. bran S 26° W 22 lthg. dist. of
a do 15 " " " N 32° W 24 " "
Land very hilly, timber Oak, Hickory & Beech

East On Rand. between Sec. 29 & 32, 18 N. R. 3 E.

37.50 a Creek 100 lthg. wide Cr. South

40.00 Set. tempy. qf. Sec. post

41.00 a Creek 100 lthg. wide Cr. North

79.50 Intersected N. S. line at the corner
(description omitted)

West On true line between Sec. 29 & 32, 18 N. R. 3 E.

39.75 Set qf. Sec. post at average dist. from which
a Beech 20 in. dia. bran N 77° W 16 lthg. dist. of
a do 20 " " " N 51 E 29 " "

79.50 to Sec. corner

East Between Sec. 20 & 29, 18 N. R. 3 E.

1.88 Intersected the boundy. Set a post, from which
a W. Walnut 4 in. dia. bran N 15 E 12 lthg. dist. of
a do 10 " " " 157 E 16 " "

2.00 at Brook 20 lthg. wide Course South

34.65 a W. Oak 13 in. dia.

40.00 Set tempy. qf. Sec post

48.30 a W. Oak 24 in. dia.

50.75 at Brook 6 lthg. wide Cr. S 80 E

72.00 a do 20 " " " South

S8 N R3 E. 2^d Mer. Indiana

80.00 At tempf. Sec. post. Land hilly & poor
timber W. Oaks & Beech, under Dogwood &c.

North Between Sec. 28 & 29, S8 N. R3 E.

25.50 to the boundary in the Brook 100 ft. wide
Course East (Continued by S. Hedge) ^(S30T)

14.50 At tempf. of Sec. post

21.70 a Beech 14 in. dia.

25.50 at Brook 20 ft. wide C.S. 14 E.

57.00 Intersected the E. & W. line 29th. N. of tempf. post
Set a post Cor. to Sec. 20, 21, 28 & 29, from which
a W. Oak 18 in. dia. bran 377 ft. 4 in. dist. of
a Do 20 " " 174 E 20 "

Land uneven part bottom, timber W. Oak,
Beech & sugar, under Dogwood & spic

41.25 Travelled south and set. of Sec. post at
average dist. from which
a Beech 10 in. dia. bran 185 ft. 2 in. dist. of
a Do 10 " " 187 E 56 "

West On true line between Sec. 20 & 29, S8 N. R3 E

39.85% set of Sec. post at average dist. from which
a Hickory 11 in. dia. bran 158 E 6 in. dist. of
a W. Oak 10 " " 121 W 26 "

79.71 to Sec. Corner.

North Between Sec. 20 & 21, S8 N. R3 E.

13.70 a Beech 9 in. dia.

22.50 a Brook 20 ft. wide C.S. 115 E.

26.50 Same 10 " " 170 E.

40.00 At the of Sec. post, from which
a Beech 7 in. dia. bran 19 E 10 in. dist. of
a W. Oak 7 " " 19 W 9 "

329

78 N - R 3 E. 2nd Mer. Indiana

- 45.50 a Brook 20 lbs. wide Course S 30° W
 47.00 Same 20 " " " N 15° E
 57.75 a W. Oak 13 in. dia.
 80.00 Set a post Cor. to Sect. 16, 17, 20 & 21, from which
 a Chest. Oak 18 in. dia. bran 140 ft. 67 lbs. dist. of
 a W. Oak 24 " " " N 66° E 21 "
 Land poor hilly and thickety, timber W.C. Oak,
 Hickory & Chestnut, underl. H. Hick., Dogw. & Maple.
-

- West On Random between Sect. 17 & 20, 78 N. R 3 E.
 8.70 a Brook 12 lbs. wide Course South
 40.00 Set tump. of Sec. post
 80.36 Intercepted the N & S. line Miller, N. of post
 Land hilly & poor timber W. Oak & Hickory, underl.
 Dogwood, W. Oak & Hickory
-

- East On true line between Sect. 17 & 20, 78 N. R 3 E.
 40.18 At gr. Sec. post at average dist. from which
 a P. Oak 6 in. dia. bran 883 ft. 4 lbs. dist. of
 a Sto 16 " " " N 47° E 47 " "
 80.36 to Sec. corner
-

- North Between Sect. 16 & 17, 78 N. R 3 E.
 11.40 a W. Oak 13 in. dia.
 40.00 Set two of. Sec. post, from which
 a W. Oak 16 in. dia. bran 115 ft. 31 lbs. dist. of
 a Sto 24 " " " N 63° W 23 " "
 46.00 a Brook 6 lbs. wide C. S. 80 E.
 54.40 a P. Oak 24 in. dia.
 80.00 Set a post Cor. to Sect. 8, 9, 16 & 17, from which
 a W. Oak 36 in. dia. bran 189 ft. 44 lbs. dist. of
 a Sto 36 " " " N 80 ft. 15 " "
 Land timber &c. same as on the last mile

78 N - R 3 E. I. Mer. Indiana

West On Rand. betw. Sec. 8 & 17, 78 N. R 3 E.

12. 50 a Brook 8 lrs. wide Course N. 60 E.

40. 00 Set the ^{temp} q. Sec. post

75. 00 a Brook 8 lrs. wide Course South

80. 00 Intersected the N.Y. S. line 153 lrs. N. of the post

Hilly poor land, timber W.B. & C. Oak & Hickory, undergrowth Dogwood & Hickory

East On true line Between Sec. 8 & 17, 78 N. R 3 E.

40. 00 Set the q. Sec post at average dist. from which
a Poplar 5 in. dia. bears S 54° W 46 lrs. dist. of
a W. Walnut 3 " " S 59° E 14 " "

80. 00 to Section Corner

North Between Sec. 8 & 9, 78 N. R 3 E.

8 . 00 a Brook 8 lrs. wide Course N. 60 E.

13. 50 a Sugar 15 in. dia.

18. 00 a Brook 20 lrs. wide Course East.

40. 00 Set the q. Sec. post from which
a W. Oak 12 in. dia. bears S 32° E 31 lrs. dist. of
a Do 16 " " N 25° W 13 " "

55. 60 a Brook 21 lrs. wide Course S. 35 E.

58. 60 a Beech 10 in. dia.

80. 00 Set the post Corner to Sec. 4, 5, 8, & 9, from which
a W. Oak 12 in. dia. bears N 35° E 8 lrs. dist. of
a Do 6 " " S 77° W 52 " "

Land Hilly & poor timber W.B. Oak Hickory & Gum undergrowth
Hickory Dogwood & W. Oak.

West On Random Between Sec. 5 & 8, 78 N. R 3 E.

8. 90 a Brook 15 lrs. wide Course S 15 E.

40. 00 Set the temp^q. q. Sec. post

53. 50 a Brook 6 lrs. wide Course South

331

18 N - R 3 E. I. Mer. Indiana

56. 75 a Brook 6 lks. wide Course S 15 E.
 80. 80 Intersected the N. of S. line 53 lk., N. of the corner
 Land poor & hilly timber W. B. C. Oak & Hickory undergrowth
 Sassafras & Hickory.
-

- East On true line Between Sec. 5 & 8 S. 8 T. R. 3 E.
 40. 40 Set the q. Sec. post at average dist. from which
 a W. Oak 18 in. dia. bears N 54 E 32 lks. dist. &
 a C. Oak 14 " " " S 11 E 16 " "
 80. 80 to Section Corner-
-

- North Between Sec. 4 & 5, S. 8 T. R. 3 E.
 20. 40 a W. Oak 18 in. dia.
 40. 00 Set the q. Sec. post from which
 a C. Oak 10 in. dia. bears N 89 E 19 lks. dist. &
 a Do 12 " " " S 75 W 35 " "
 49. 80 a W. Oak 12 " "
 89. 00 Intersected the N. boundary 0.60 lk. E. of the post cor.
 to Sec. 32 & 33 in the adjacent Township, set post from which
 a W. Oak 13 in. dia. bears S 72 W 66 lks. dist. &
 a Do 30 " " " S 83 E 14 " "
 Land hilly & poor timber C. W. & B. Oak & Hickory undergrowth
 Hickory Dogwood & Sassafras
-

- East Between Sec. 28 & 33, S. 8 T. R. 3 E.
 15. 00 a Brook 10 lk., wide Cr. S. E.
 36. 80 Intersected the old boundary st. post, from which
 a W. Oak 12 in. dia. bears S 55 E 13 lk., dist. &
 a Beech 3 " " " N 43 W 6 " "
 40. 00 Set temp. q. Sec. post
 47. 60 a Grm 9 in. dia.
 80. 00 Set temp. Sec. post. Land f. part level,
 timber W. Oak, sugar & Beech
-

58 N - R. 3 E. I^o. Mer. Indiana

West On true line between Sec. 28 & 33, 58 N. R. 3 E.
39.00 Set q. Sec. post at average dist. from which
a W. Oak 28 in. dia. bears N 19° 51' th. dist. of
a Beech 12 " " 145 E 73 " "
78.00 to Sec. Corner.

North Between Sec. 33 & 34, 58 N. R. 3 E.
40.00 Set the q. Sec. post, from which
a Dogwood 3 in. dia. bears S 16° 97' 4 th. dist. of
a Beech 15 " " N 19° 97' 26 " "
44.50 Intersected the boundary line, set post, from which
an Elm 15 in. dia. bears S 88° 97' 10 th. dist. of
a Hickory 20 " " N 13° 83' 2 " "
53.50 Corner at D
57.00 a Stream 40 lbs. wide C. S. N 85° W
60.54 a Hickory 8 in. dia.
79.50 Intersected the East line 200 lbs. N. of post
Set a post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 10 in. dia. bears S 75° 97' 30 lbs. dist. of
a sugar 6 " " " N 35° 8 37 " "
Land generally level & 2^o rate, timber W. Oak
Sugar & Beech Dec. 13. 1819

North Between Sec. 27 & 28, 58 N. R. 3 E.

11.00 a W. Oak 18 in. dia.
40.00 Set the q. Sec. post from which
a Hickory 13 in. dia. bears N 60° E 52 th. dist. of
a W. Oak 16 " " " S 35° W 15 " "
44.60 a Brook 8 lbs. wide Course S 60 W.
59.00 a Sugar 8 in. dia.
74.50 a Brook 15 lbs. wide Course West.
80.00 Set a post Corner to Sec. 21, 22, 27 & 28, from which
a W. Oak 12 in. dia. bears S 19° E 32 th. dist. of

J8 N - R3 E. I. Mer. Indiana

a Beech 7 in. dia. bears N 22 W 25 lns. dist.

Land hilly & poor, timber W. Oak Hickory & Gum
undergrowth Dogwood & Hickory.

West On Random Between Sec. 21 & 28, S. 8th, R. 3 E.

31. 50 a Stream 100 lns. wide Course South

40. 00 Set the temp. of. post

77. 78 Intersected the West boundary at the post
N. half level and 2^o rate last p poor & hilly timber W. B.
Oak Hickory undergrowth Dogwood & Sassafras.

East On true line Between Sec. 21 & 28, S. 8th, R. 3 E.

38. 89 Set the of. Sec. post at average dist. from which
a W. Oak 14 in. dia. bears S 39 W 58 lns. dist. &
a Gum 14 " " " N 52 E 2 " "

77. 78 to Section Corner

North Between Sec. 21 & 22, S. 8th, R. 3 E.

4. 50 a Brook 6 lns. wide Course S. 30 W.

10. 36 a W. Oak 18 in. dia.

27. 50 a Stream 90 lns. wide Course S. 40 W.

31. 50 a Same " " " S. 30 E

34. 50 a Same stream " " S. 60 W

40. 00 Set the of. Sec. post from which
a Sycamore 18 in. dia. bears N 4 E 25 lns. dist. &
a Hickory 16 " " " S 32 W 9 " "

43. 50 the last mentioned stream S 50 E

49. 00 the same stream S 35 W

59. 40 an Elm 12 in. dia.

65. 00 a Stream 50 lns. wide Course S 80 E

80. 00 Set a post corner to Sec. 15, 16, 21 & 22. from which
a W. Oak 20 in. dia. bears N 47 W 42 lns. dist. &
a Do 16 " " " S 10 E 55 . .

334

S8 N R3 E2 P Mer. Indiana

- West On Random Between Sec. 16 & 21 S8 N R3 E.
 4, 50 a stream 50 lbs. wide Course S. 80 W.
 36, 00 a Brook 15 " " " S. 60 E.
 40 00 Set temp^r. qf. Sec. post
 79, 90 Intersected the N & S. line 7 lbs. N. of the Sec. corner
 Land hilly & poor, timber W. 15. Oak & Hickory undergrowth
 Dogwood Hickory & Sassafras.
-

- East On true line Between Sec. 16 & 21 S8 N R3 E.
 39, 95 Set the qf. Sec. post at average dist. from which
 a Beech 14 in. dia. bears S 84 E. 20 lbs. dist. of
 a Sugar 10 " " " N 53 W 14 " "
 79, 90 to Section Corner

- Comp?
- North Between Sec. 15 & 16 S8 N R3 E. Dec 5. 14th 1819
 6, 25 a Spring 4 lbs. wide Course West head 1 Ch. E.
 21, 53 a W. Oak 14 in. dia.
 40, 00 Set the qf. Sec. post from which
 a W. Oak 26 in. dia. bears N 42 E 47 lbs. dist. of
 a Ll 12 " " " S 38 W 28 " "
 54, 40 a 15. Oak 18 " "
 80, 00 Set a post corner to Sec. 9, 10, 15 & 16, from which
 a Sugar 15 in. dia. bears S 22 W 4 lbs. dist. of
 a W. Oak 15 " " " N 41 E 56 " "
 Land hilly poor thickly timber W. B. Oak & Hickory undergrowth
 Dogwood Hickory & Sassafras.
-

- West On Random Sec. 9 & 16 S8 N R3 E.
 17, 50 a Brook 15 lbs. wide Course S 5 W.
 40, 00 Set the temp^r. qf. Sec. post
 59, 50 a Brook 15 lbs. wide Course S 70 E.
 80, 00 Intersected the W. boundary 55 lbs. North of post
 Land & timber as on the last mile
-

333

78 N R 3 E. I. Mer. Indiana

East	On true line Between Sec. 9 & 10, 78 N R 3 E.
40 . 00	Set the qf. Sec. post at average dist. from which a W. Oak 18 in. dia. bears S 80 E 58 lbs. dist. & a Hickory 7 " " " S 79 W 29 " "
80 . 00	To Section Corner

North	Between Sec. 9 & 10, 78 N R 3 E.
28 . 05	a B. Oak 12 in. dia.
40 . 00	Set the qf. Sec. post from which a W. Oak 15 in. dia. bears S 80 W 52 lbs. dist. & a Do 11 " " " N 80 E 29 " "
49 . 00	a W. Oak 30
79 . 50	a Brook 5 lbs. wide Course S 70 E.
80 . 00	Set a post Corner to Sec. 5 & 4, 9 & 10, from which a W. Oak 12 in. dia. bears N 16 W 63 lbs. dist. & a B. Oak 15 " " " S 4 E 25 " "
	Land & timber as on the last mile.

West	On Random Between Sec. 4 & 9, 78 N R 3 E.
1 . 00	a Brook 5 lbs. wide Course S 70 E
40 . 00	Set the tempy. qf. Sec. post
60 . 00	a Brook 15 lbs. wide Course South
80 . 48	Intersected the W. boundary 48 lbs. North of post Land hilly & poor timber W. B. Oak & Hickory undergrowth Hickory Dogwood & W. Oak.

East	On true line Between Sec. 4 & 9, 78 N R 3 E.
40 . 24	Set a qf. Sec. post at the average dist from which a W. Oak 12 in. dia. bears N 75 W 54 lbs. dist. & a Do 12 " " " S 15 E 6 " "
80 . 48	To Section Corner

North Between Sec. 5 & 4 78 N R 3 E.

S8 N R3 E, T. Mer. Indiana

50. 60 a C. Oak 24 in. dia.
 40. 00 Set the q: Sec. post from which
 a W. Oak 12 in. dia. bears S37W48 lks. dist. &
 a Poplar 30 " " N37E4 "
 51. 25 a Poplar 36 " "
 55. 50 a Brook 8 lks. wide Course N40W.
 87. 50 Intersected the N. boundary 3Ch. #90 lks. East of post
 Corner to Sec. 35 & 34, in the adjacent township. Set a post
 from which, a B. Oak 3 in. dia. bears S44E51 lks. dist. &
 a W. Oak 3 " " S52W9 "
 Land poor & hilly thickly timbered. C. Oak, poplar, Hickory
 undergrowth. W. Oak, Hickory, Dogwood, &c.

North Between Sec. 34 & 35, S8 N R3 E.

10. 60 a W. Oak 14 in. dia.
 26. 60 a Brook 50 lks. wide Course N. 8 E.
 40. 00 Set the q: Sec. post from which
 a W. Oak 12 in. dia. bears S70W18 lks. dist.
 a Larch 12 " " N30E14 "
 80. 00 a W. Oak 10 in dia. for Corner tree Corner to Sec. 26, 27, 34 & 35,
 from which a B. Oak 14 in. dia. bears N54E47 lks. dist.
 Land and timber as on the last mile

West On Random Between Sec. 27 & 34, S8 N R3 E

1. 00 a Brook 10 lks. wide Course S40E.
 23. 50 a Do 8 " " S15E.
 40. 00 Set the temp¹ of. q: Sec. post.
 55. 00 a Brook 8 lks. wide Course S45W.
 80. 00 Intersected the W. boundary 3Ch. #47 lks. North of
 post. Land and timber as above

East On true line Between Sec. 27 & 34, S8 N R3 E.

40. 00 Set the q: Sec. post at the average dist. from which

Sec. 18 N - R. 3 E. I. Mer. Indiana

a W. Oak 24 in. dia. bears N 35° E 18 lks. dist. &
a B. Oak 6 " " " S 68° W 12 " "
80.00 to Section Corner

North Between Sec. 26 & 27, S 8 N, R. 3 E.
6.75 a Brook 8 lks. wide Course S 45° W.
22.00 a W. Oak 14 in. dia.
40.00 Set the q. Sec. post from which
a Dogwood 5 in. dia. bears N 30° W 20 lks. dist. &
a " " 4 " " S 49° E 4 " "
53.40 a Poplar 40 " "
80.00 Set a post Corner to Sec. 22, 23, 26 & 27, from which
a Gum 14 in dia. bears S 89° E 12 lks. dist. &
a Beech 8 " " S 79° W 11 " "
Land hilly & poor timber W. Oak B. Oak & Hickory
undergrowth Dogwood & Sassafras.

West On Random Between Sec. 26 & 27, S 8 N, R. 3 E.
28.75 a Brook 6 lks. wide Course S 70° W.
40.00 Set the temp^Y. q. Sec. post
69.50 a Brook 6 lks. wide Course S 50° W.
79.60 Intersected the N & S. line 20 lks. North of post
Land hilly & poor 3rd rate timber W. Oak B. Oak & Hickory
undergrowth Hickory W. Oak Dogwood & Sassafras.

East On true line Between Sec. 26 & 27, S 8 N, R. 3 E.
39.80 Set the q. Sec. post at average dist. from which
a Poplar 18 in. dia. bears S 60° W 12 lks. dist.
a Beech 8 " " N 63° E 19 " "
79.60 to Section Corner

Comp

North Between Sec. 22 & 23, S 8 N, R. 3 E.
13.50 a Brook 5 lks. wide Course W.

18 N. R. 3 E. D. Mer. Indiana

- 39.50 at Beech 17 in. dia.
 40.00 at Brook 10 hrs. wide Course N 50° W
 40.00 Set the q. Sec. post, from which
 a Maple 10 in. dia. bran N 33° E 18 hrs. dist. of
 a Sycamore " " " 14° 47" "
 57.00 a P. Oak 14 " "
 60.00 at Brook 15 hrs. wide Course S 80° W
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 20 in. dia. bran S 59° W 10 hrs. dist. of
 a Elm 22 " " " East 14 " "
 Land hilly & poor, timber M. Oak & Hickory
 underl. " " " W. Oak, Hick. & Dogwood
-

- West On Random between Sec. 15 & 22, 18 N. R. 3 E.
 40.00 Set tempy. q. Sec. post
 66.00 a stream 80 hrs. wide Course N 15° W
 80.00 Intersected the N. S. line 33 hrs. N. of the post
 Land timber &c. same as on the last mile
-

- East On true line between Sec. 15 & 22, 18 N. R. 3 E.
 40.00 Set the q. Sec. post at average dist. from which
 a Gum 17 in. dia. bran N 48° W 15 hrs. dist. of
 a W. Oak 19 " " " 189° W 31 " "
 80.00 to Sec. Corner Dec. 17. 1819
-

- North Between Sec. 14 & 15, 18 N. R. 3 E.
 20.50 an Elm 14 in. dia.
 21.00 a stream 80 hrs. wide Course N 80° E
 40.00 Set the q. Sec. post, from which
 a Beech 26 in. dia. bran N 64° W 20 hrs. dist. of
 a Sugar 10 " " " N 35° E 22 " "
 54.00 a W. Oak 13 " "
 76.00 a Brook 5 hrs. wide Course N 50° E.

58 N. R. 3 E. I^o. Mer. Indiana

- 80.00 Set a post Cor. to Sect. 10, 11, 14 & 15, from which
a W. Oak 16 in. dia. bran 113 E 40 lbs. dist. of
a Do 12 " " " N 13 W 65 " "
Land hilly & poor, W. B. Oak & Hickory, undergrowth
Hickory, Dogwood & W. Oak.

West On Random between Sect. 10 & 15, 58 N. R. 3 E.

30.50 at Brook 8 lbs. wide Course S 80 E.

40.00 Set the q. of. Sec. post

48.00 at Brook 12 lbs. wide Course South

80.75 Intersected the N & S. line 14 lbs. S. of post
Land timber &c. Same as on the last mile

East On true line between Sect. 10 & 15, 58 N. R. 3 E.

40.37 $\frac{1}{2}$ Set the q. Sec. post at average dist. from which
a W. Oak 10 in. dia. bran 133 W 18 lbs. dist. of
a Do 20 " " " N 62 E 19 " "

80.75 to Section Corner

North Between Sect. 10 & 11, 58 N. R. 3 E.

20.00 a Hickory 11 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 12 in. dia. bran 167 W 51 lbs. dist. of
a Do 14 " " " N 58 E 45 " "

40.50 at Brook 8 lbs. wide C. S. S 60 E.

58.75 a Gum 9 in. dia.

68.50 at Brook 15 lbs. wide C. S. S 30 E.

80.00 Set a post Cor. to Sect. 2, 3, 10 & 11, from which
a W. Oak 14 in. dia. bran 130 E 21 lbs. dist. of
a Do 18 " " " N 42 W 60 " "

Land poor & hilly, timber W. B. Oak, Hickory & Gum,
under Dogwood, hick., W. Oak & Sassafras

S8 N R3 E. I. Mer. Indiana

West On Land between Sect. 3 & 10, S8 N. R3 E.

6.70 a Brook 8 lks. wide Course South

17.00 a Brook 10 S15E.

40.00 Set the tempf. of Sec. post

66.00 a Brook 8 lks. wide Course South

81.00 Intersected the N & S. line 45 lks. S. of the post
Land poor and hilly timber W. Oak. B. Oak & Hickory
undergrowth W. Oak Hickory Saplings -

East On true line Between Sect. 3 & 10, S8 N. R3 E.

40.50 Set the q. Sec. post at average dist. from which
a W. Oak 14 in. dia. bears N22E 4 lks. dist. of
a Do 12 " " S10W22 " "

81.00 To Section Corner

North Between Sect. 2 & 3, S8 N. R3 E.

19.60 a W. Oak 12 in. dia.

33.50 a Brook 6 lks. wide Course S60E.

40.00 Set the q. Sec. post from which
a W. Oak 8 in. dia. bears S10W38 lks. dist. of
a Do 8 " " S13W38 " "

46.50 a Brook 4 lks. wide Course S50E.

59.80 a W. Oak 14 in. dia.

81.85 Intersected the N. boundary ^{ch} 11.10 lks. E. of post.

Set a post Corner to Sect. 3 & 35 in adjacent township

Set a post Cor. to Sect. 2 & 3, S8 N. R3 E. from which

a W. Oak 18 in. dia. bears N19W22 lks. dist. of

a B. Oak 3 " " S39E12 " "

Land hilly & poor undergrowth and timber the same as
on the last mile

North Between Sect. 35 & 36, S8 N. R3 E.

22.00 a W. Oak 18 in dia.

343

Sec. 3 E. D. Mer. Indiana

33. 00 a Stream 40 lbs. wide Course N 30 W.
 40. 00 Set the q. Sec. post from which
 a W. Walnut 13 in. dia. bears S 30 E 40 lbs. dist. of
 a Do 8 " " N 30 W 67 " "
 52. 85 a W. Oak 12 "
 80. 00 Set a post Corner to Sect. 25, 26, 35 & 36, from which
 a W. Oak 15 in. dia. bears N 70 E 40 lbs. dist. of
 a Do 18 " " S 28 E 27 " "
 Uneaven 2^d rate timber ^{old} W. Hickory &c. undergrowth
 Dogwood & Sassafras -

- West On Random Between Sect. 26, 35, 28, N. R. 3 E.
 17. 50 a Brook 10 lbs. wide Course S 10 W.
 40. 00 Set the temp^r. q. Sec. post
 45. 00 a Brook 10 lbs. wide Course S 40 E.
 80. 76 Intersected the N. & S. line 310 lbs. North of post
 Hilly & poor land timber W. Oak & Hickory undergo-
 rowth W. Oak Hickory & Sassafras -

- East On true line Between Sect. 26 & 35, 28, N. R. 3 E.
 40. 38 Set a q. Sec. post at average dist. from which
 a W. Oak 13 in. dia. bears S 26 W 36 lbs. dist. of
 a Do 13 " " N 27 W 22 " "
 80. 76 to Section Corner

- East Between Sect. 25 & 36, 28 N. R. 3 E.
 19. 10 a W. Oak 24 in. dia.
 23. 70 a Brook 10 lbs. wide Course South
 40. 00 Set two q. Sec. post, from which
 a W. Oak 18 in. dia. bears N 17 W 57 lbs. dist. of
 a Sugar 11 " " S 29 W 11 " "
 46. 00 a Brook 6 lbs. wide C. S. N 60 E.
 52. 80 a Sycamore 26 in. dia.

342

S8N R3E. I^o Mer. Indiana

- 54.00 at Brook 25 lks. wide Ct. S20W
 68.10 Intersected the E. boundary 97 lks. N. of the post
 At a post Cor. to Sect. 25 & 36, from which
 a W. Oak 16 in. diam. bran North 18 lks. dist. of
 a Gum 16 " " " N62W55 "
 uneven T. soil land, timber W. Oak & Hickory
 undergrowth Dogwood & Sassafras
-

North Between Sect. 25 & 26, S8N R3E.

- 13.00 a P. Oak 12 in. diam.
 20.00 a Brook 6 lks. wide N40E
 36.00 a Do 5 " S25E.
 40.00 At the gr. Sec. post, from which
 a W. Oak 13 in. diam. bran S89W38 lks. dist. of
 a Poplar 16 " " " N58E25 "
 58.50 a Hickory 18 "
 59.50 a Brook 10 lks. wide Ct. S60W
 80.00 At a post Corners to Sect. 23, 24, 25 & 26, from which
 a Beech 12 in. diam. bran N49E41 lks. dist. of
 a Hickory 13 " " " N60W34 "
 uneven poor land, timber W. Oak, P. Oak & Hickory
 underg. Dogwood & Sassafras
-

West Between Sect. 23 & 26, on Random. Oct. 22nd 1819

- 40.00 Set temp. of Sec. post
 80.82 Intersected the N & S. line 97 lks. N. of post
 Land hilly & poor, timber W. Oak & Hickory
 underg. Dogwood & Sassafras
-

- Cost On true line between Sect. 23 & 26, S8N R3E.
 40.41 Set the gr. Sec. post at average dist. from which
 a Sugar 10 in. diam. bran South 23 lks. dist. of
 a P. Oak 10 " " " N78E33 "

313

78 N. R. 3 E. I. Mer. Indiana

80.82 to Sec. Corner.

-
- East Between Sect. 24 & 25, 78 N. R. 3 E.
2.30 a Brook 6 lks. wide C.R. N10 E
12.50 a do 6 " " S20 W
15.75 a W. Oak 18 in. dia.
40.00 Set the qf. Sec. post from which
a W. Oak 12 in. dia. bears S78 W 42 lks. dist. of
a B. Oak 7 " " N56 E 32 " "
46.90 a W. Oak 16 "
68.40 a Brook 8 lks. wide Course S40 W.
68.50 Intersected the E. boundary 116 lks. N. of post
Set a post Cor. to Sect. 24 & 25, from which
a W. Oak 16 in. dia. bears N52 E 18 lks. dist. of
a Do 11 " " S31 W 64 " "
Hilly poor 3^d rate land timber W. B. Oak, Hickory &
Bum Undergrowth Hickory W. Oak Dogwood & Sassafras.
-

- North Between Sect. 23 & 24, 78 N. R. 3 E.
24.70 a w. Ash 12 in. dia.
40.00 Set the qf. Sec. post from which
a W. Oak 12 in. dia. bears S88 W 33 lks. dist. of
a Do 14 " " N55 E 53 " "
65.31 a Maple 13 " "
80.00 Set a post Corner to Sect. 13, 14, 23 & 24 from which
a W. Oak 12 in. dia. bears South 30 lks. dist. of
a W. — 9 " " North 20 " "
Land and timber as above —
-

- West On Random Between Sect. 14 & 23, 78 N. R. 3 E.
8.60 a Brook 10 lks. wide Course N40 W.
40.00 Set the temp^y. qf. Sec. post.
79.52 Intersected the N. & S. line 32 lks. North of post

344

S8 N. R3 E. Ird. Mer. Indiana

Hilly poor 3^d rate Land timber W. & B. Oak Hickory
Undergrowth W. Oak Hickory Saplings -

East On true line Between Sec. 14 & 25, S8 N. R3 E.

39. 76 Set the qf. Sec. post at the average dist. from which
a W. Oak 18 in. dia. bears S61 E 38 lks. dist. of
a Hickory 14 " " " N88 W45 . "
79. 52 to Section Corner

East Between Sec. 13 & 24, S8 N. R3 E.

11. 50 a W. Oak 12 in. dia.
37. 00 a Brook 8 lks. wide Course North
40. 00 Set the qf. Sec. post from which
a W. Oak 12 in. dia. bears S76 W22 lks. dist. of
a Beech 8 " " " N59 E 11 . "
60. 90 a Hickory 18 " "
62. 50 a Brook 10 lks. wide Course N. 10 W.
68. 08 Intersected the E. boundary 240 lks. N. of post
Set a post Corner to Sec. 13 & 24 from which
a Beech 10 in. dia. bears S42 W3 lks. dist. of
a B. Oak 6 " " " N32 E 49 . "
Land of timber as on the last mile.

North Between Sec. 13 & 14, S8 N. R3 E.

16. 00 a W. Oak 13 in. dia.
33. 00 a Stream 70 lks. wide Course S. 50 W.
40. 00 Set the qf. Sec. post from which
a Beech 8 in. dia. bears N49 W61 lks. dist. of
a Do 12 " " " S60 E 20 . "
60. 72 a W. Oak 18 " "
80. 00 Set a post Corner to Sec. 11, 12, 13 & 14 from which
a W. Oak 10 in. dia. bears N83 E 35 lks. dist. of
a Do 16 " " " N38 W 22 . "

345

18 N - R 3 E. I. Mer. Indiana

Hilly poor Land, timber W. B. Oak Hickory & Beech
undergrowth W. Oak Hickory & Sassafras -

-
- | | |
|------|--|
| West | On Random Between Sect. 11 & 14, 18 N, R. 3 E.
a Brook 25 lks. wide Course S. 15 W.
Set the temp. q. of. Sec. post
a Brook 20 lks. wide Course South
intersected the N. & S. line 40 lks. North of post
Hilly poor Land timber W. B. Oak & Hickory undergrowth
W. Oak, Hickory & Sassafras - |
|------|--|
-

- | | |
|------|---|
| East | Outline line Between Sections 11 & 14
Set a q. Sec. post from which
a Beech 5 in. dia. bears N 6 E 35 lks. dist. of
a W. Oak 12 " " S 15 W 10 " "
to Section Corner - |
|------|---|
-

- | | |
|------|--|
| East | Between Sect. 12 & 13, 18 N, R. 3 E.
a Brook 15 lks. wide Course S 10 W.
a W. Oak 18 in. dia.
a Brook 6 lks. wide Course S. 15 W.
Set the q. Sec. post from which
a W. Oak 16 in. dia. bears S 41 W 57 lks. dist. of
a Do 12 " " N 46 W 63 W " "
a W. Oak 12 " "
intersected E. boundary 24.8 lks. N. of post, Set post east to
Sect. 12 & 13 from which
a W. Oak 12 in. dia. bears N 35 W 33 lks. dist. of
a B. Oak 10 " " N 83 - 20 " "
Poor Hilly Land timber W. B. Oak Hickory underg.
W. Oak Hickory & Sassafras - |
|------|--|
-

- | | |
|-------|--------------------------------------|
| North | Between Sect. 11 & 12, 18 N, R. 3 E. |
|-------|--------------------------------------|

346

S8N-R3E, V^u. Mer. Indiana

12. 20 a W. Oak 30 in. dia.
 40. 00 Set the qf. Sec. post from which
 a W. Oak 9 in. dia. bears S55W24 lks. dist. &
 a Beech 11 " " N70E 30 "
 52. 40 a W. Oak 14 "
 60. 00 a Brook 15 lks. wide Course S.70W.
 80. 00 Set a post Corner to Sect. 1, 2, 11 & 12, from which
 a W. Oak 20 in. dia. bears N60E 54 lks. dist. &
 a Gum 18 " " S60W 12 "

West On Random Between Sect. 2 & 11, S8N-R3E.

11. 00 a Brook 15 lks. wide Course South
 37. 60 a " 8 " " " S10E.
 40. 00 Set the tempqf. qf. Sec. post
 79. 10 Intersected the N. & S. line 130 lks. N. of post
 Land and timber as on last mile

East On true line Between Sect. 2 & 11, S8N-R3E.

59. 55 a W. Oak 16 in. dia. for Corner tree at average dist.
 from which, a W. Oak 18 in. dia. bears N57W 85 lks. dist.
 79. 10 to Section Corner

East Between Sect. 1 & 12, S8N-R3E.

9. 90 a W. Oak 15 in. dia.
 16. 30 a Brook 5 lks. wide Course S.10W.
 28. 50 a Brook 15 " " " S.20W.
 40. 00 Set the qf. Sec. post from which
 a W. Oak 12 in. dia. bears N34W70 lks. dist. &
 a Do 20 " " N55E 21 "
 65. 90 Intersected the E. boundary 350 lks. N. of post
 Set a post Cor. to Sect. 1 & 12 from which
 a B. Oak 7 in. dia. bears N27W 18 lks. dist.
 a Maple 7 " " S9E. 23 "

347

Sect. R 3 E. 2^d Mer. Indiana

Hilly poor land timber W. B. Oak & C. Oak Hickory
Undergrowth W. Q. Hickory & Sassafras -

- North Between Sec. 18 & 2, T. N. R. 3 E.
15.50 a W. Oak 12 in. dia.
40.00 Set the qd. Sec. post from which
a W. Oak 11 in. dia. bears N 59° W 57° Eks. dist. 87
a Do 12 " " N 65° E 53 " "
47.80 a Brook 3 eks. wide Coorsd. 20 W.
65.45 a W. Oak 14 in. dia.
76.75 Intersected the N. boundary 14 Ch. 12 eks. E. of post
set a post Cor. to Sec. 15, 2 from which
a Beech 7 in. dia. bears N 67° W 8 eks. dist. 87
a Do 14 " " S 53° E 14 "
Surveyed by Arthur Annie & James
Hedges, D. Surveyor.

Comp

I certify that the foregoing transcript of field notes of
Towships N. & N. Range N. 3 East, 2^d Mer. Indiana
has been Comp. with the original notes in this office
and found to be correct,
Surveyor General's Office
Cincinnati, May 1st 1844

Q. S. Peirce
Sur. Gen.